DEPARTMENT OF HEALTH & HUMAN SERVICES Centers for Medicare & Medicaid Services 7500 Security Boulevard, Mail Stop C2-21-16 Baltimore, Maryland 21244-1850



### Center for Clinical Standards and Quality/Quality, Safety and Oversight Group

Ref: QSO-20-15 Hospital/CAH/EMTALA

**DATE:** March 9, 2020

**TO:** State Survey Agency Directors

**FROM:** Director

Quality Safety and Oversight Group

**SUBJECT:** Emergency Medical Treatment and Labor Act (EMTALA) Requirements and

Implications Related to Coronavirus Disease 2019 (COVID-19)

### **Memorandum Summary**

**COVID-19** *and EMTALA Requirements:* This Memorandum conveys information in response to inquiries from hospitals and critical access hospitals (CAHs) concerning implications of COVID-19 for their compliance with EMTALA. This guidance applies to both Medicare and Medicaid providers.

- *EMTALA Screening Obligation:* Every hospital or CAH with a dedicated emergency department (ED) is required to conduct an appropriate medical screening examination (MSE) of all individuals who come to the ED, including individuals who are suspected of having COVID-19, and regardless of whether they arrive by ambulance or are walk-ins. Every ED is expected to have the capability to apply appropriate COVID-19 screening criteria when applicable, to immediately identify and isolate individuals who meet the screening criteria to be a potential COVID-19, to contact their state or local public health officials to determine next steps.
- *EMTALA Stabilization, Transfer & Recipient Hospital Obligations:* In the case of individuals with suspected or confirmed COVID-19, hospitals and CAHs are expected to consider current guidance of CDC and public health officials in determining whether they have the capability to provide appropriate isolation required for stabilizing treatment and/or to accept appropriate transfers. In the event of any EMTALA complaints alleging inappropriate transfers or refusal to accept appropriate transfers, CMS will take into consideration the public health guidance in effect at the time.

### **Background**

Due to increasing public concerns with COVID-19, CMS is receiving inquiries from the hospital industry concerning implications for their compliance with EMTALA. Concerns center around

the ability of hospitals and CAHs to fulfill their EMTALA screening obligations while minimizing the risk of exposure from COVID-19 infected individuals to others in the ED, including healthcare workers, and the isolation requirements for COVID-19. In addition, we have also received questions about the applicability of EMTALA stabilization, transfer and recipient hospital obligations in the case of individuals who are found to have met the screening criteria for possible COVID-19 infection or who have been determined to have COVID-19.

Please note this memorandum applies to both hospital and critical access hospital (CAH) wherever "hospital" is referenced.

EMTALA requires Medicare-participating hospitals and CAHs that have a dedicated emergency department to, at a minimum:

- Provide a medical screening exam (MSE) to every individual who comes to the ED for
  examination or treatment for a medical condition to determine if they have an emergency
  medical condition (EMC). An emergency medical condition is present when there are
  acute symptoms of sufficient severity such that the absence of immediate medical
  attention could reasonably be expected to result in serious impairment or dysfunction.
- Provide necessary stabilizing treatment for individuals with an emergency medical condition EMC within the hospital's capability and capacity; and
- Provide for transfers of individuals with EMCs, when appropriate.

Please see *Attachment 1* for a discussion of alternate screening locations and increased surges in numbers of patients presenting to the ED.

Are hospitals required to accept transfers of patients with suspected or confirmed COVID-19 from small or rural hospitals that don't have appropriate or sufficient isolation facilities or equipment to meet current state or local public health or CDC recommendations?

Hospitals with capacity and the specialized capabilities needed for stabilizing treatment are required to accept appropriate transfers from hospitals without the necessary capabilities. Hospitals should coordinate with their State/local public health officials regarding appropriate placement of individuals who meet specified COVID-19 assessment criteria, and the most current standards of practice for treating individuals with confirmed COVID-19 infection status.

As in any case concerning a hospital's EMTALA obligations with respect to transfers of individuals, CMS would evaluate the capabilities and capacity of both the referring and recipient hospitals in order to determine whether a violation has occurred. Among other things, we would take into account the CDC's recommendations at the time of the event in question in assessing whether a hospital had the requisite capabilities and capacity. We note that the CDC's recommendations focus on factors such as the individual's recent travel or exposure history and presenting signs and symptoms in differentiating the types of capabilities hospitals should have to screen and treat that individual. The presence or absence of negative pressure rooms (Airborne Infection Isolation Room (AIIR)) would not be the sole determining factor related to transferring patients from one setting to another when in some cases all that would be required would be a private room. See the CDC website for the most current infection prevention and

control recommendations for hospital patients with suspected or known COVID-19: <a href="https://www.cdc.gov/coronavirus/2019-ncov/hcp/clinical-guidance-management-patients.html">https://www.cdc.gov/coronavirus/2019-ncov/hcp/clinical-guidance-management-patients.html</a>

In addition, all Medicare-participating hospitals with specialized capabilities are required to accept appropriate transfers of individuals with EMCs if the hospital has the specialized capabilities an individual requires for stabilization as well as the capacity to treat these individuals. This recipient hospital obligation applies regardless of whether the hospital has a dedicated emergency department.

### What are the screening sites that may be set up?

### Hospitals may set up alternative screening sites on campus

- The MSE does not have to take place in the ED. A hospital may set up alternative sites on its campus to perform MSEs.
  - Individuals may be redirected to these sites after being logged in. The redirection and logging can even take place outside the entrance to the ED.
  - The person doing the directing should be qualified (e.g., an RN) to recognize individuals who are obviously in need of immediate treatment in the ED.
- The content of the MSE varies according to the individual's presenting signs and symptoms. It can be as simple or as complex, as needed, to determine if an EMC exists.
- MSEs must be conducted by qualified personnel, which may include physicians, nurse practitioners, physician's assistants, or RNs trained to perform MSEs and acting within the scope of their State Practice Act.
- The hospital must provide stabilizing treatment (or appropriate transfer) to individuals found to have an EMC, including moving them as needed from the alternative site to another on-campus department.

### B. Hospitals may set up screening at off-campus, hospital-controlled sites.

- Hospitals and community officials may encourage the public to go to these sites instead of the hospital for screening for influenza-like illness (ILI). However, a hospital may not tell individuals who have already come to its ED to go to the off-site location for the MSE.
- Unless the off-campus site is already a dedicated ED (DED) of the hospital, as defined under EMTALA regulations, EMTALA requirements do not apply.
- The hospital should not hold the site out to the public as a place that provides care for EMCs in general on an urgent, unscheduled basis. They can hold it out as an ILI screening center.
- The off-campus site should be staffed with medical personnel trained to evaluate individuals with ILIs.
- If an individual needs additional medical attention on an emergent basis, the hospital is required, under the Medicare Conditions of Participation, to arrange

referral/transfer. Prior coordination with local emergency medical services (EMS) is advised to develop transport arrangements.

#### C. Communities may set up screening clinics at sites not under the control of a hospital

- There is no EMTALA obligation at these sites.
- Hospitals and community officials may encourage the public to go to these sites instead of the hospital for screening for ILI. *However, a hospital may not tell individuals who have already come to its ED to go to the off-site location for the MSE.*
- Communities are encouraged to staff the sites with medical personnel trained to evaluate individuals with ILIs.
- In preparation for a pandemic, the community, its local hospitals and EMS are encouraged to plan for referral and transport of individuals needing additional medical attention on an emergent basis.

#### **EMTALA Obligations when Screening Suggests Possible COVID-19**

If an individual comes to an ED of a hospital, as the term "comes to the emergency department" is defined in the regulation at §489.24(b), either by ambulance or as a walk-in, the hospital must provide the individual with an appropriate MSE. We emphasize that it is a violation of EMTALA for hospitals and CAHs with EDs to use signage that presents barriers to individuals who are suspected of having COVID-19 from coming to the ED, or to otherwise refuse to provide an appropriate MSE to anyone who has come to the ED for examination or treatment of a medical condition. However, use of signage designed to help direct individuals to various locations on the hospital property, as that term is defined in the regulation at §489.24(b), for their MSE would be acceptable. If the hospital is intending to use another location to conduct the MSE, please see *Attachment 1* for additional information.

If during the MSE the hospital concludes that an individual who has come to its ED may be a possible COVID-19 case, consistent with accepted standards of practice for COVID-19 screening, the hospital is expected to isolate the patient immediately. Although levels of services provided by EDs vary greatly across the country, it is CMS' expectation that all hospitals are able to, within their capability, provide MSEs and initiate stabilizing treatment, while maintaining the isolation requirements for COVID-19 and coordinating with their State or local public health officials, who will in turn arrange coordination, as necessary, with the CDC.

Stabilizing treatment means, with respect to an "emergency medical condition", to provide such medical treatment of the condition necessary to assure, within reasonable medical probability, that no material deterioration of the condition is likely to occur. Once an individual is admitted or the emergency medical condition ends, the obligations under EMTALA end.

At the time of this memo's publication, CDC's screening guidance (<a href="https://www.cdc.gov/coronavirus/2019-ncov/hcp/clinical-criteria.html">https://www.cdc.gov/coronavirus/2019-ncov/hcp/clinical-criteria.html</a>) called for hospitals to contact their State or local public health officials when they have a case of suspected COVID-19. Officials will advise of next steps, in accordance with CDC recommendations on testing.

#### **Other Enforcement Considerations**

Should CMS receive complaints alleging either inappropriate transfers by a sending hospital or refusal of a recipient hospital to accept an appropriate transfer, it will take into consideration CDC guidance and State or local public health direction at the time of the alleged noncompliance. It will also take into consideration any clinical considerations specific to the individual case(s).

Consistent with their obligations under the hospital and CAH Conditions of Participation (CoPs) §482.42 and §485.640, hospitals and CAHs are expected to adhere to accepted standards of infection control practice to prevent the spread of infectious disease and illness, including COVID-19. Standard, contact, and airborne precautions with eye protection should be used when caring for the patient as noted in CDC's Interim Health Care Infection Prevention and Control Recommendations for Patients Under Investigation for Coronavirus Disease 2019 (COVID-19). The CDC has issued extensive guidance on applicable isolation precautions and CMS strongly urges hospitals to follow this guidance. CMS recognizes the difficulties securing the recommended personal protective equipment (PPE) required for training and patient care that may be present in some circumstances at the time of this memorandum.

Hospitals and CAHs are expected under their respective CoPs at §482.11(a) and §485.608(a) to comply with Occupational Safety and Health Administration (OSHA) requirements, but CMS and state surveyors acting on its behalf do not assess compliance with requirements of other Federal agencies.

#### **Latest CDC Guidance**

The most up-to-date guidance regarding screening, testing, treatment, isolation, and other COVID-19 topics can be found on the CDC website at <a href="https://emergency.cdc.gov/han/HAN00427.asp">https://emergency.cdc.gov/han/HAN00427.asp</a> Hospitals and CAHs are strongly urged to monitor this site as well as their State public health website and follow recommended guidelines and acceptable standards of practice. State Survey Agencies are also encouraged to monitor the CDC and their state public health websites for up-to-date information.

#### **CMS Resources**

CMS has released a memo regarding triage, assessment and discharge for hospitals which will provide additional information about responding to COVID-19 cases. <a href="https://www.cms.gov/files/document/qso-20-13-hospitalspdf.pdf-2">https://www.cms.gov/files/document/qso-20-13-hospitalspdf.pdf-2</a>

CMS has additional guidance which may be beneficial related to EMTALA, and other topics surrounding health standards and quality. The document Provider Survey and Certification Frequently Asked Questions (FAQs), Declared Public Health Emergency All-Hazards are located at <a href="https://www.cms.gov/Medicare/Provider-Enrollment-and-Certification/SurveyCertEmergPrep/Downloads/All-Hazards-FAQs.pdf">https://www.cms.gov/Medicare/Provider-Enrollment-and-Certification/SurveyCertEmergPrep/Downloads/All-Hazards-FAQs.pdf</a>. These FAQs are not limited to situations involving 1135 Waivers, but are all encompassing FAQs related to public health emergencies and survey activities and functions.

### Page 6

Questions about this memo should be addressed to QSOG\_EmergencyPrep@cms.hhs.gov.

### **FDA Resources:**

• Emergency Use Authorizations: <a href="https://www.fda.gov/medical-devices/emergency-situations-medical-devices/emergency-use-authorizations">https://www.fda.gov/medical-devices/emergency-use-authorizations</a>

**Effective Date:** Immediately. This policy should be communicated with all survey and certification staff, their managers, and the State/Regional Office training coordinators immediately.

/s/

David Wright

cc: Survey & Certifications Group Management

Attachment (2)

### **FACT SHEET**



# Emergency Medical Treatment and Labor Act (EMTALA) & Surges in Demand for Emergency Department (ED) Services

#### I. What is EMTALA?

- EMTALA is a Federal law that requires all Medicare-participating hospitals (including critical access hospitals (CAHs)) with dedicated EDs to perform the following for all individuals who come to their EDs, regardless of their ability to pay:
  - An *appropriate* medical screening exam (MSE) to determine if the individual has an Emergency Medical Condition (EMC). If there is no EMC, the hospital's EMTALA obligations end.
  - If there is an EMC, the hospital must:
    - + Treat and stabilize the EMC within its capability (including inpatient admission when necessary); OR
    - + Transfer the individual to a hospital that has the capability and capacity to stabilize the EMC.
- Hospitals with specialized capabilities (with or without an ED) may not refuse an appropriate transfer under EMTALA if they have the capacity to treat the transferred individual.
- EMTALA ensures access to hospital emergency services; it need not be a barrier to providing care in a disaster.

# II. Options for Managing Extraordinary ED Surges Under Existing EMTALA Requirements (No Waiver Required)

### A. Hospitals may set up alternative screening sites on campus

- The MSE does not have to take place in the ED. A hospital may set up alternative sites on its campus to perform MSEs.
  - Individuals may be redirected to these sites after being logged in. The redirection and logging can even take place outside the entrance to the ED.
  - The person doing the directing should be qualified (e.g., an RN) to recognize individuals who are obviously in need of immediate treatment in the ED.
- The content of the MSE varies according to the individual's presenting signs and symptoms. It can be as simple or as complex, as needed, to determine if an EMC exists.

- MSEs must be conducted by qualified personnel, which may include physicians, nurse practitioners, physician's assistants, or RNs trained to perform MSEs and acting within the scope of their State Practice Act.
- The hospital must provide stabilizing treatment (or appropriate transfer) to individuals found to have an EMC, including moving them as needed from the alternative site to another on-campus department.

#### B. Hospitals may set up screening at off-campus, hospital-controlled sites.

- Hospitals and community officials may encourage the public to go to these sites instead of the hospital for screening for influenza-like illness (ILI). However, a hospital may not tell individuals who have already come to its ED to go to the off-site location for the MSE.
- Unless the off-campus site is already a dedicated ED (DED) of the hospital, as defined under EMTALA regulations at 42 CFR § 489.24(b), EMTALA requirements do not apply.
- The hospital should not hold the site out to the public as a place that provides care for EMCs in general on an urgent, unscheduled basis. They can hold it out as an ILI screening center.
- The off-campus site should be staffed with medical personnel trained to evaluate individuals with ILIs.
- If an individual needs additional medical attention on an emergent basis, the hospital is required, under the Medicare Conditions of Participation, to arrange referral/transfer. Prior coordination with local emergency medical services (EMS) is advised to develop transport arrangements.

#### C. Communities may set up screening clinics at sites not under the control of a hospital

- There is no EMTALA obligation at these sites.
- Hospitals and community officials may encourage the public to go to these sites instead of the hospital for screening for ILI. However, a hospital may not tell individuals who have already come to its ED to go to the off-site location for the MSF
- Communities are encouraged to staff the sites with medical personnel trained to evaluate individuals with ILIs.
- In preparation for a pandemic, the community, its local hospitals and EMS are encouraged to plan for referral and transport of individuals needing additional medical attention on an emergent basis.

#### III. EMTALA Waivers

- An EMTALA waiver allows hospitals to:
  - Direct or relocate individuals who come to the ED to an alternative off-campus site, in accordance with a State emergency or pandemic preparedness plan, for the MSE.

- Effect transfers normally prohibited under EMTALA of individuals with unstable EMCs, so long as the transfer is necessitated by the circumstances of the declared emergency.
- By law, the EMTALA MSE and stabilization requirements can be waived for a hospital **only if**:
  - The President has declared an emergency or disaster under the Stafford Act or the National Emergencies Act; *and*
  - The Secretary of HHS has declared a Public Health Emergency; and
  - The Secretary invokes her/his waiver authority (which may be retroactive), including notifying Congress at least 48 hours in advance; *and*
  - The waiver includes waiver of EMTALA requirements and the hospital is covered by the waiver.
- CMS will provide notice of an EMTALA waiver to covered hospitals through its Regional Offices and/or State Survey Agencies.
- Duration of an EMTALA waiver:
  - In the case of a public health emergency involving pandemic infectious disease, until the termination of the declaration of the public health emergency;
     otherwise
  - In all other cases, 72 hours after the hospital has activated its disaster plan.
  - In no case does an EMTALA waiver start before the waiver's effective date, which is usually the effective date of the public health emergency declaration.

# EMTALA Obligations & 2019-Novel Coronavirus (COVID-19) Question and Answer Document

**Note:** For the purpose of this document, the term "hospital" includes all types of Medicare-participating hospitals, critical access hospitals (CAHs).

### A. Patient Insurance/Payor Status

A.1. Is a Medicare-participating hospital required to provide EMTALA-mandated screening and stabilizing treatment for non-Medicare beneficiaries with likely or confirmed COVID-19?

EMTALA applies to all individuals who come to the dedicated emergency department (ED) of a Medicare-participating hospital or CAH, regardless of type or presence of insurance coverage or ability to pay. Further, Medicare-participating hospitals with specialized capabilities are required within the limits of their capability and capacity to accept appropriate transfers of individuals protected under EMTALA from other hospitals, without regard to insurance or ability to pay.

### **B. Specialized Capabilities**

B.1. EMTALA requires that hospitals with specialized capabilities to treat COVID-19 accept appropriate transfers of individuals who require those services, if they have capacity to provide them. In the event of an EMTALA complaint related to an inappropriate transfer and/or a refusal of a recipient hospital to accept an appropriate transfer, how will CMS determine whether a hospital had the "specialized capabilities" with respect to COVID-19 required by the individual?

At the time of this FAQ document, no formally designated COVID-19 treatment centers are established. Some of the early COVID-19 cases were sent to hospitals previously designated as Ebola treatment centers however, no determination has been made that specialized centers would be developed for COVID-19 cases and therefore all hospitals are required at a minimum to screen, isolate, and begin stabilizing treatment as appropriate for any individual with suspected COVID-19 symptoms.

B.2: Are hospitals required to accept transfers of patients with suspected or confirmed COVID-19 from small or rural hospitals that don't have appropriate or sufficient isolation facilities or equipment to meet current state or local public health or CDC recommendations?

Hospitals with capacity and the specialized capabilities needed for stabilizing treatment are required to accept appropriate transfers from hospitals without the necessary capabilities. Hospitals should coordinate with their State/local public health officials regarding appropriate placement of individuals who meet specified COVID-19 assessment criteria, and the most current standards of practice for treating individuals with confirmed COVID-19 infection status.

As in any case concerning a hospital's EMTALA obligations with respect to transfers of individuals, CMS would evaluate the capabilities and capacity of both the referring and recipient hospitals in order to determine whether a violation has occurred. Among other things, we would take into account the CDC's recommendations at the time of the event in question in assessing

whether a hospital had the requisite capabilities and capacity. We note that the CDC's recommendations focus on factors such as the individual's recent travel or exposure history and presenting signs and symptoms in differentiating the types of capabilities hospitals should have to screen and treat that individual. The presence or absence of negative pressure rooms (Airborne Infection Isolation Room (AIIR)) would not be the sole determining factor related to transferring patients from one setting to another when in some cases all that would be required would be a private room. See the CDC website for the most current infection prevention and control recommendations for hospital patients with suspected or known COVID-19: <a href="https://www.cdc.gov/coronavirus/2019-ncov/hcp/clinical-guidance-management-patients.html">https://www.cdc.gov/coronavirus/2019-ncov/hcp/clinical-guidance-management-patients.html</a>

### C. Screening Examinations and Stabilizing Treatment Requirements

# C.1: What are the EMTALA requirements for hospitals in regard to screening and treating individuals with possible COVID-19?

The EMTALA requirements for hospitals and CAHs are the same for individuals with possible COVID-19 symptoms as all other possible emergency medical conditions (EMCs). Hospitals and CAHs must:

- Provide an appropriate Medical Screening Exam (MSE) to every individual who comes to the Emergency Department (ED) for examination or treatment of a medical condition, to determine if they have an emergency medical condition (EMC); Provide necessary stabilizing treatment for individuals with an EMC within the hospital's capability and capacity; and
- Provide for appropriate transfers of individuals with EMCs if the hospital lacks the capability to stabilize them.

Specific to COVID-19, hospitals are encouraged to follow the CDC guidance for appropriate isolation procedures to minimize the risk of cross-contamination to other patients, visitors, and healthcare workers. For example, the CDC publishes and updates guidance related to COVID-19. Hospitals should consult the latest CDC guidance and coordinate with State/local public health authorities for guidance related to ongoing care and treatment of patients with COVID-19.

# C.2: Are all hospitals expected to screen and treat individuals with possible COVID-19 symptoms?

Yes, all hospitals are expected, at a minimum to screen, isolate, and begin stabilizing treatment, as appropriate, for any individual with possible COVID-19 symptoms. Hospitals should coordinate with their State/local public health authorities regarding ongoing care and treatment.

# C.3: Can hospitals ask patients to wait in their car or outside the hospital as CDC suggests in their COVID-19 guidance or is that violating EMTALA?

The MSE requirement of EMTALA requires that it be timely depending on the presenting signs and symptoms of the individual. Hospitals must perform an appropriate examination by a Qualified Medical Practitioner to determine if the patient has an emergency medical condition. If the individual, after an appropriate medical screening exam, meets the CDC criteria for potential COVID-19 and is determined to have no signs or symptoms that require immediate medical attention, then this would not present a direct EMTALA violation. In cases where a request is

made for medical care that is unlikely to involve an EMC, the individual's statement that s/he is not seeking emergency care, together with brief questioning by the QMP would be sufficient to establish that there is no EMC and the hospital's EMTALA obligation would be satisfied. However, the hospital should have a system in place to monitor those patients that opt to wait in their own vehicle to ensure that their condition has not deteriorated while awaiting further evaluation. Failure to do so could expose the hospital to a potential MSE violation because the MSE was not done timely. In that case, it could also be a violation of the Condition of Participation: Emergency Services. As noted during previous public health emergency situations such as EBOLA and H1N1, CMS will take into consideration any clinical considerations specific to the individual case(s).

# C.4: If a hospital does not have Intensive Care Unit (ICU) capabilities is it required to screen and, when appropriate, initiate stabilizing treatment for individuals with suspected or confirmed COVID-19?

Yes. The lack of ICU capabilities does not exempt a hospital from performing an MSE and initiating stabilizing treatment for individuals with known or suspected COVID-19 who come to the hospital's ED seeking examination or treatment. Qualified medical personnel in hospitals that conduct the screening examination should be aware of the criteria for initial COVID-19 screening and should apply such screening when appropriate. Note that the CDC guidance for COVID-19, indicates that they should do the following:

- Promptly identify and triage patients with relevant exposure history AND signs or symptoms compatible with COVID-19 <a href="https://www.cdc.gov/coronavirus/2019-ncov/infection-control/control-recommendations.html">https://www.cdc.gov/coronavirus/2019-ncov/infection-control/control-recommendations.html</a>.
- Immediately isolate any patient with relevant exposure history and signs or symptoms compatible with COVID-19 and take appropriate steps to adequately protect staff caring for the patient, including appropriate use of personal protective equipment (PPE).
- Immediately notify the hospital/facility infection control program, other appropriate
  facility staff, and the state and local public health agencies that a patient has been
  identified who has relevant exposure AND signs or symptoms compatible with COVID19.

## C.5: May hospitals refuse to allow individuals with suspected cases of COVID-19 into their ED?

No. For every individual who "comes to the emergency department," as that term is defined in §489.24(b) of the EMTALA regulations, for evaluation or treatment of a medical condition, whether by ambulance or by walking-in, hospitals are required to provide an appropriate medical screening examination. Qualified medical personnel in hospitals that conduct the screening examination should be aware of the criteria for initial COVID-19 screening and should apply such screening when appropriate. Hospitals that refuse to screen an individual who comes to their emergency department would likely be found to have violated EMTALA, regardless of presenting signs, symptoms, and possible diagnoses.

# C.6: If a hospital remains open during COVID-19 or any other infectious outbreak, and is operating at or in excess of its normal operating capacity and cannot get sufficient staff, may the hospital shut down its emergency department (ED) without violating EMTALA?

Under these circumstances, EMTALA would not prohibit the hospital from closing its ED to new patients if it no longer had the capacity to screen and treat individuals (in effect, going on diversion). The hospital should follow any applicable State and local notice requirements and its own previously established plan for public notification when it goes on diversionary status. The hospital would continue to have an EMTALA obligation to individuals undergoing examination or treatment in its ED at the time it stops accepting new emergency patients. In addition, in spite of the "closure" if an individual comes to such a hospital and requests examination or treatment for an emergency medical condition, the hospital would be obligated by EMTALA to act within its capabilities to provide screening and, if necessary, stabilization.

# C.7: Are all hospitals expected to have Personal Protective Equipment (PPE) and other equipment/facilities to screen and take care of suspected or confirmed COVID-19 patients?

There are no requirements established under EMTALA for hospitals to have specific PPE or equipment/facilities. Consistent with their obligations under the hospital and CAH Conditions of Participation (CoPs) at §482.42 and §485.640, hospitals and CAHs are expected to adhere to accepted standards of infection control practice to prevent the spread of COVID-19. However, the Emergency Preparedness Final Rule requires an all-hazards approach to the emergency preparedness planning and program. In February 2019, CMS updated subregulatory guidance in Appendix Z of the State Operations Manual (SOM), for facilities to plan for using an all-hazards approach, to include emerging infectious disease (EID) threats. Examples of EIDs include Influenza, Ebola, Zika Virus and others. Under this guidance, CMS specifically stated that these EIDs may require modifications to facility protocols to protect the health and safety of patients, such as isolation and personal protective equipment (PPE) measures.

The CDC has issued extensive guidance on applicable isolation precautions and CMS strongly urges hospitals to follow this guidance.

# C.8: May hospitals decline to perform an MSE on an individual who comes to their ED with potential or suspected COVID-19 due to a lack of PPE or specialized equipment/facilities?

No. For every individual who "comes to the emergency department," as that term is defined in §489.24(b) of the EMTALA regulations, for evaluation or treatment of a medical condition, whether by ambulance or by walking-in, hospitals are required to provide an appropriate medical screening examination. Qualified medical personnel in hospitals that conduct the screening examination must be aware of the criteria for initial COVID-19 screening and apply such screening when appropriate. Hospitals that refuse to screen an individual who comes to their emergency department would likely be found to have violated EMTALA, regardless of presenting signs, symptoms, and possible diagnoses.

### C.9: Will CMS issue EMTALA waivers for hospitals related to COVID-19?

The statute governing EMTALA waivers sets a high threshold for issuing such waivers and also limits the nature and duration of an EMTALA waiver. At this time the requirements for CMS to issue EMTALA waivers have not been met (i.e., issuance of a Presidential disaster declaration and a Secretary's declaration of a public health emergency). For additional information, please visit <a href="https://www.cms.gov/Medicare/Provider-Enrollment-and-Certification/SurveyCertEmergPrep/1135-Waivers">https://www.cms.gov/Medicare/Provider-Enrollment-and-Certification/SurveyCertEmergPrep/1135-Waivers</a>.

# C.10: What about ambulances operating under emergency medical services (EMS) systems – are they subject to EMTALA?

Public health officials, EMS systems and hospitals are free to develop protocols governing where EMS should transport individuals for emergency care. This includes developing protocols specific to individuals who meet criteria to be considered suspected cases of COVID-19. A hospital owned and operated ambulance operating under communitywide protocols that direct transport of individuals to a hospital other than the hospital that owns the ambulance, for example, to the closest appropriate hospital, the individual is considered to have come to the ED of the hospital to which the individual is transported, at the time the individual is brought onto hospital property and the hospital becomes subject to EMTALA.

Even in the case of ambulances that are owned and operated by a hospital, it is permissible to transport an individual to a different hospital for screening and treatment, so long as they are operating in accordance with a communitywide EMS protocol, or they are operating under the direction of a physician who is not employed or otherwise affiliated with the hospital that owns the ambulance.

# C.11: May hospitals set up alternative screening sites within the hospital to screen possible COVID-19 patients, even if they don't have an EMTALA waiver?

Yes, hospitals have flexibilities to set up alternative screening sites at other parts of the hospital, both on- and off-campus. See *Attachment 1* for additional guidance regarding surges in emergency department services.

Additionally, per the Medicare Conditions of Participation, hospitals must have policies and procedures based on the facility's emergency preparedness plan and its role under a waiver declared by the HHS Secretary, in accordance with section 1135 of the Act, in the provision of care and treatment at an alternate care site identified by public health and emergency management officials. While we recognize at the time of these FAQs, an 1135 Waiver cannot be invoked as only the HHS Secretary has declared a public health emergency, we do expect facilities to have policies and procedures on alternate care sites.

However, absent an EMTALA waiver issued by CMS pursuant to a declaration of a public health emergency, hospitals may not direct an individual who has already come to their on-site emergency department to any off-campus location for screening.

C.11(a): What constitutes an alternative hospital location? For instance, can this include a tarped-off area of another room, a room constructed in the ambulance bay, or the room previously used as the decontamination room?

Hospitals have flexibilities under EMTALA to determine alternative locations outside the ED but within the hospital or on the hospital's property for screening examinations of individuals potentially exposed to or infected with COVID-19. Please see the Attachment 1: Fact Sheet for Addressing Hospital Surges

# C.11(b): Do the Life Safety Code (LSC) requirements under the hospital or critical access hospital Conditions of Participation apply to alternative care sites?

Since alternative care sites are expected to be within the hospital or on the hospital's property (operating as part of the hospital/under the hospital's CMS Certification Number, they would be expected to meet LSC requirements. However, there may be situations where temporary examination areas are set up (please refer to above on alternate care sites).

Additionally, if compliance issues come up in such localized situations where no applicable section 1135 waiver [for declared public health emergencies] is available, CMS focuses on fundamentals, such as assuring medical and nursing staff have proper credentials and, in the case of medical staff, have privileges; assuring that care is safe, that patients' rights are protected and that medical records with sufficient information to promote safe care are maintained. Additionally, for facilities subject to the Life Safety Code (LSC), past experience has demonstrated that many facilities, even when functioning in a degraded status, or in the case of the establishment of alternative care sites, may continue to meet the LSC by implementing reasonable and prudent measures. For example, there were several hospitals that were damaged by Hurricane Katrina which continued to comply with the LSC by implementing reasonable and prudent measures, and therefore were able to continue operations in a degraded but safe environment for weeks or months until repairs could be completed.

Archived information on H1N1 which discussed alternate care sites can be located at: <a href="https://www.cms.gov/Medicare/Provider-Enrollment-and-">https://www.cms.gov/Medicare/Provider-Enrollment-and-</a>
Certification/SurveyCertEmergPrep/Downloads/SCLetter-10-06-Influenza.pdf

We would also encourage facilities to review resources provided by the Assistant Secretary of Preparedness and Response (ASPR) Technical Resources Assistance Center and Information Exchange (TRACIE) located here: <a href="https://asprtracie.hhs.gov/technical-resources/48/alternate-care-sites-including-shelter-medical-care/47">https://asprtracie.hhs.gov/technical-resources/48/alternate-care-sites-including-shelter-medical-care/47</a>

# C.11(c): Can alternative sites include outbuildings on the campus or use of tents in the parking lot?

Alternative screening sites may be located in other buildings on the campus of a hospital or in tents in the parking lot, as long as they are determined to be an appropriate setting for medical screening activities and meet the clinical requirements of the individuals referred to that setting. We also defer to screening guidance provided by the CDC.

C.11(d): What would be an acceptable alternative location <u>on campus</u>? Must the location currently exist as a part of the certified facility?

#### Page 16

The location must be part of the certified hospital. If it is not currently part of the certified hospital, then the hospital must take steps to add the location as a new practice location of the hospital.

## C.11(e): What type of approval process needs to be in place for a hospital to use an alternative location?

CMS does not require any approval process to use an alternative screening location that is already part of the certified hospital. If the hospital is adding a practice location, it must file a Form 855A with its Medicare Administrative Contractor to advise it of this action. The hospital is not required to obtain prior approval from CMS in order to bill Medicare for services at the added location. There is also no requirement for all added locations to be surveyed for compliance with the Medicare Hospital Conditions of Participation, but CMS retains the discretion to require a survey in individual cases.

States may have licensure requirements for prior approval of any additional practice locations, so hospitals are encouraged to consult with their State licensure authority on any applicable State requirements.

C.11(f): In the past when there have been disasters that resulted in ED surges alternative locations needed to be submitted and approved by State licensure authorities and also by CMS. Does this hold true for alternative locations for screening of potential COVID-19 patients?

See answer to the prior question. As stated, CMS does not require prior approval for hospitals that are adding a practice location. Hospitals should consult with their State licensure authority on any applicable State requirements.

### **D. Patient Rights**

D.1: What action should the hospital take if an individual who meets the screening criteria for suspected COVID-19 wants to leave the hospital against medical advice?

Hospitals do not have authority to prevent the individual from leaving against medical advice. However, State or local public health authorities may have such authority under State or local law, and hospitals should coordinate with their local authorities on the appropriate way to handle an individual suspected of having COVID-19 who wants to leave the hospital environment.

Note that there is an EMTALA requirement at §489.24(d)(3) for a hospital to take all reasonable steps to secure the individual's written informed refusal (or that of the individual's representative) of further medical examination or treatment that the hospital has offered.

### E. Enforcement

E.1: What will CMS do when a survey reveals that a hospital is not following nationally recognized guidelines regarding COVID-19 infection control processes?

### Page 17

EMTALA does not establish requirements for infection control practices. However, consistent with their obligations under the hospital and CAH Medicare CoPs at §482.42 and §485.640, hospitals and CAHs are expected to adhere to accepted standards of infection control practice and Medicare conditions.

The CDC has issued extensive guidance on applicable isolation precautions and CMS strongly urges hospitals to follow this guidance. Hospitals may be cited for deficiencies under the CoPs related to failure to follow accepted infection prevention and control standards of practice. Hospitals should regularly check the official CDC COVID-19 website (https://www.cdc.gov/coronavirus/2019-ncov/index.html) and consider signing up for Sign up for the newsletter to receive weekly emails about the coronavirus disease 2019 (COVID-19)

https://tools.cdc.gov/campaignproxyservice/subscriptions.aspx?topic\_id=USCDC\_2067.

# E.2: How will CMS handle complaints about violations of EMTALA related to transfers/attempts to transfer individuals suspected or confirmed as having COVID-19?

If CMS receives complaints alleging either inappropriate transfers by a referring hospital or refusal of a recipient hospital to accept an appropriate transfer, the agency will consider the following (along with other factors) when making a determination of whether violations of EMTALA have occurred:

- The individual's clinical condition at the time of presentation to the referring hospital and at the time of the transfer request;
- The capabilities of the referring hospital,
- The screening and treatment activities performed by the referring hospital for the individual;
- Whether the request for transfer was consistent with any nationally recognized guidelines in effect at the time of the transfer request for COVID-19 screening, assessment, including guidance about transfer for further assessment or treatment of suspected or confirmed COVID-19; and,
- The capabilities of the recipient hospital and the recipient hospital's capacity at the time of the transfer request.